

Material Safety Data Sheet

20-JUNE-2012

SpecSeal® AS200 ELASTOMERIC SPRAY

CHEMICAL PRODUCT/COMPANY IDENTIFICATION

Material Identification

PRODUCT NAME......SpecSeal® AS200 SPRAY CHEMICAL FAMILY.....Mixture

Company Identification

MANUFACTURER/DISTRIBUTOR

Specified Technologies Inc. 210 Evans Way Somerville, NJ 08876

PHONE NUMBERS

Product Information : 1-908-526-8000 Emergency : 1-800-255-3924

HAZARDS IDENTIFICATION

*******EMERGENCY OVERVIEW*******

* Possible skin and eye irritant. Paste. *

Potential Health Effects:

EYE: Contact may cause irritation. **SKIN:** Contact may cause irritation. **INGESTION:** Relatively non-toxic.

INHALATION: Irritation of the nose, throat, and lungs may result from over-exposure to vapors or mist.

CHRONIC (CANCER) INFORMATION: Not classified as carcinogenic.

LONG TERM TOXIC EFFECTS: None known.

COMPOSITION/INFORMATION ON INGREDIENTS

Proprietary mixture containing in part:

INGREDIENT NAMECAS NUMBERACRYLIC COPOLYMERNon HazardousCALCIUM CARBONATE1317-65-3TITANIUM DIOXIDE13463-67-7ALUMINA TRIHYDRATE21645-51-2

FIRST AID MEASURES

First Aid

INHALATION: Remove to fresh air. **SKIN CONTACT**: Wash thoroughly.

EYE CONTACT: Irrigate eyes with running water for at least 15 minutes. Get medical attention if irritation develops.

INGESTION: None applicable.

FIRE FIGHTING MEASURES

Not a fire hazard.

EXTINGUISHING MEDIA......Dry Chemical; Carbon Dioxide; Foam; Water spray for large fires. SPECIAL FIRE FIGHTING PROCEDURES:.....As for surrounding fire.

ACCIDENTAL RELEASE MEASURES

Safeguards (Personnel)

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

HANDLING AND STORAGE

Store under ambient conditions. No special handling required.

EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE PROTECTION REQUIREMENTS:.....Safety glasses/goggles.

VENTILATION REQUIREMENTS:......lf needed, use local exhaust ventilation to keep airborne concentrations below the

TLV.

Exposure Guidelines

Exposure Limits

PEL(OSHA): Particulates (Not Otherwise Classified) 15 mg/m3, 8 Hr. TWA, total dust 5 mg/m3, 8 Hr. TWA, respirable dust

TLV(ACGIH): None Established

PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM	Paste
SPECIFIC GRAVITY	1.25
PERCENT VOLATILES	23+/-2
EVAPORATION RATE	>1
BOILING POINT	100 deg. C
SOLUBILITY IN WATER	Infinitely dilutable
CARB VOC (Calculated)	0.48 Wt.%
SCAQMD VOC (US EPA Method 24)	10 Grams/Liter

STABILITY AND REACTIVITY

STABILITY:	This is a stable material.
CONDITIONS TO AVOID	Storage >55 deg. C
HAZARDOUS POLYMERIZATION:	Will not occur.
INCOMPATIBILITIES:	None special

TOXICOLOGICAL INFORMATION

Mixture not tested but based on components:

May be irritating to skin and eyes and may produce symptoms of nausea in poorly ventilated areas.

None of the components are listed as carcinogens.

ECOLOGICAL INFORMATION

No data.

DISPOSAL CONSIDERATIONS

Waste Disposal:

Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

TRANSPORTATION INFORMATION

DOT - not regulated.

REGULATORY INFORMATION

U.S. Federal Regulations

TSCA Inventory Status : Reported/Included.

Section 313 Supplier Notifications.

This product contains no toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372

OTHER INFORMATION

NPCA-HMIS Rating

Health : 1 Flammability : 0 Reactivity : 0

Personal Protection rating to be supplied by user depending on use conditions.

STATE RIGHT-TO-KNOW LAWS

No substances on the state hazardous substances list, for the states indicated below, are used in the manufacture of products on this Material Safety Data Sheet, with the exceptions indicated. While we do not specifically analyze these products, or the raw materials used in their manufacture, for substances on various state hazardous substances lists, to the best of our knowledge the products on this Material Safety Data Sheet contain no such substances except for those specifically listed below:

SUBSTANCES ON THE NEW JERSEY WORKPLACE HAZARDOUS SUBSTANCE LIST PRESENT AT A CONCENTRATION OF 1% OR MORE (0.1% FOR SUBSTANCES IDENTIFIED AS CARCINOGENS, MUTAGENS OR TERATOGENS): Alumina, Titanium Dioxide.

WARNING: SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER: None Known..

WARNING: SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM: None known.

This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the data compiled. However, no representation, warranty, or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur form the use of this information.

Responsibility for MSDS:

Specified Technologies Inc. 210 Evans Way Somerville, NJ 08876