

Sikaflex®

ONE-COMPONENT COLOR CARD



Color Samples for:

- Sikaflex® 1a
- Sikaflex® 15LM
- Sikaflex® Textured Sealant



Colors for Sikaflex® One-Component Sealants

Standard Colors



Almond




Aluminum Gray



Hartford Green



Limestone



Aluminum Stone



Beige



Medium Bronze



Off White



Black



Buff



Redwood Tan



Stone



Capitol Tan



Colonial White



White



Coping Stone



Dark Bronze

Color Selection Chart

	Almond	Aluminum Gray	Aluminum Stone	Beige	Black	Buff	Capitol Tan	Colonial White	Coping Stone	Dark Bronze	Hartford Green	Limestone	Medium Bronze	Off White	Redwood Tan	Stone	White
Product Name																	
Sikaflex® 1a		■			■		■	■		■		■	■			■	■
Sikaflex® 15LM	■	■	■	■	■		■	■	■	■	■	■	■	■	■	■	■
Sikaflex® Textured Sealant		■			■	■				■		■				■	■

The final cured color of the actual product may vary. Use actual cured product for color matching.

SIKA warrants this product for one year from date of installation to be free from manufacturing defects and to meet the technical properties on the current Technical Data Sheet if used as directed within shelf life. User determines suitability of product for intended use and assumes all risks. Buyer's sole remedy shall be limited to the purchase price or replacement of product exclusive of labor or cost of labor.

NO OTHER WARRANTIES EXPRESS OR IMPLIED SHALL APPLY INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES. SIKA SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

Distributed by:



SIKA CORPORATION
201 Polito Avenue
Lyndhurst, NJ 07071
Phone: 201 933 8800
800 933 SIKA
Fax: 201 933-6225

SIKA CANADA, INC.
601 Delmar Avenue
Quebec H9R4A9
Phone: 514-697-2610
Fax: 514-694-3087

SIKA MEXICANA S.A. DE C.V.
Carretera Libre Celaya Km. 8.5
Fracc. Industrial Balvanera
Corregidora, Queretaro
C.P. 76920
Phone: 52 442 2385800
Fax: 52 442 2250537

BUILDING TRUST

